

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. | |
|---|---------------|----------------------|-------------------------|-------------------------|--|
| 10/619,757 | 07/15/2003 | Patrick J. Sweeney | 029815-0101 | 7389 | |
| 23524 75 | 90 11/27/2006 | | EXAMINER | | |
| FOLEY & LARDNER LLP 150 EAST GILMAN STREET | | | . PHILOGENE, PEDRO | | |
| P.O. BOX 1497 | | | ART UNIT | PAPER NUMBER | |
| MADISON, W | I 53701-1497 | | 3733 | 3733 | |
| | | | DATE MAILED: 11/27/2006 | DATE MAILED: 11/27/2006 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | Application No. | Applicant(s) | | | |
|---|--|-----------------------------------|--|--|--|
| | 10/619,757 | SWEENEY, PATRICK J. | | | |
| Office Action Summary | Examiner | Art Unit | | | |
| | Pedro Philogene | 3733 | | | |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply | | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). | | | | | |
| Status | | | | | |
| 1) Responsive to communication(s) filed on 08 Se | eptember 2006. | | | | |
| 2a) This action is FINAL . 2b) ⊠ This action is non-final. | | | | | |
| 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is | | | | | |
| closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. | | | | | |
| Disposition of Claims | | | | | |
| 4) ⊠ Claim(s) 1-3,8-16 and 27-41 is/are pending in to 4a) Of the above claim(s) 11 and 12 is/are with 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-3,8-10,13-16 and 27-41 is/are reject 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or | drawn from consideration. | | | | |
| Application Papers | | | | | |
| 9)☐ The specification is objected to by the Examine | r. | | | | |
| 10) The drawing(s) filed on is/are: a) □ accepted or b) □ objected to by the Examiner. | | | | | |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). | | | | | |
| Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). | | | | | |
| 11)☐ The oath or declaration is objected to by the Ex | aminer. Note the attached Office | Action or form PTO-152. | | | |
| Priority under 35 U.S.C. § 119 | · | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | | |
| Attachment(s) 1) Notice of References Cited (PTO-892) | 4) Interview Summary | /PTO.413) | | | |
| 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date <u>9/8/06</u>. | Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other: | te | | | |
| J.S. Patent and Trademark Office PTOL-326 (Rev. 08-06) Office Ac | tion Summary Par | t of Paper No./Mail Date 20061114 | | | |

Art Unit: 3733

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

Claims 1-3, 13-16, 27-41 are rejected under 35 U.S.C. 102(b) as being anticipated by Bryan et al. (6,156,067).

With respect to claims 1, 27, 30,33,38, Bryan et al disclose a stabilizing element (20) a scaffold assembly comprising a first base (42) and a second base (44) at least one appendage (110) removably attached to the first or the second base, such that the bases and the appendage forming a cage between the first and the second vertebrae, wherein the stabilizing element (20) is retained in the cage without being rigidly attached to the scaffold assembly; as set forth in column 3, lines61-67, column 4, lines 1-67, column 5, lines 1-67, column 6, lines 1-67, column 7, lines 1-15; and as best seen in FIGS.1-14.

With respect to claims 2,3,13,14,28,29,34,35, Bryan et al disclose all the limitations, as set forth in column 3, lines61-67, column 4, lines 1-67, column 5, lines 1-67, column 6, lines 1-67, column 7, lines 1-15; and as best seen in FIGS.1-14.

With respect to method claims 15,16,31,32,36,37,39-41, the method steps, as set forth would have been inherently carried out in the operation of the device, as set forth above.

⁽e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the

Application/Control Number: 10/619,757

Art Unit: 3733

applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-3,8-10,13-16,27-41 are rejected under 35 U.S.C. 102(e) as being anticipated by Bryan et al. (7,025,787).

With respect to claims 1, 27, 30,33,38, Bryan et al disclose a stabilizing element (60) a scaffold assembly comprising a first base (22) and a second base (42) at least one appendage (70) removably attached to the first or the second base, such that the bases and the appendage forming a cage between the first and the second vertebrae, wherein the stabilizing element (60) is retained in the cage without being rigidly attached to the scaffold assembly, a first plate (20) and a second plate (40); as set forth in column 11, lines 5-67, column 12, lines 51-67, column 13, lines 5-35, lines 32-67; and as best seen in FIGS.1-38.

With respect to claims 2,3,8-10,13,14,28,29,34,35, Bryan et al disclose all the limitations, as set forth in column 11, lines 5-67, column 12, lines 51-67, column 13, lines 5-35, lines 32-67; and as best seen in FIGS.1-38.

With respect to method claims 15,16,31,32,36,37,39-41, the method steps, as set forth would have been inherently carried out in the operation of the device, as set forth above.

Claims 1-3,13-16,27-41 are rejected under 35 U.S.C. 102(e) as being anticipated by Eberlein et al. (6,626,943).

With respect to claims 1, 27, 30,33,38, Eberlein et al disclose a stabilizing element (3) a scaffold assembly comprising a first base (1) and a second base (2) at

Application/Control Number: 10/619,757

Art Unit: 3733

least one appendage (4) removably attached to the first or the second base, such that the bases and the appendage forming a cage between the first and the second vertebrae, wherein the stabilizing element (3) is retained in the cage without being rigidly attached to the scaffold assembly; as set forth in column 4, lines 1-67, column 5, lines 1-67, column 6, lines 1-33; and as best seen in FIGS.1-17.

With respect to claims 2,3,13,14,28,29,34,35, Eberlein et al disclose all the limitations, as set forth in column 4, lines 1-67, column 5, lines 1-67, column 6, lines 1-33; and as best seen in FIGS.1-17.

With respect to method claims 15,16,31,32,36,37,39-41, the method steps, as set forth would have been inherently carried out in the operation of the device, as set forth above.

Response to Amendment

Applicant's arguments, see Remarks, filed 9/8/06, with respect to the rejection(s) of claim(s) 1-3,8-10,13-16,27-41 under 102 have been fully considered and are persuasive. Also applicant's declaration under 37 C.F.R. 1.131 is acknowledged. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Bryan et al/Eberlein et al.

Conclusion

A shortened statutory period for reply to this action is set to expire THREE MONTHS from the mailing date of this action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pedro Philogene whose telephone number is (571) 272-

Application/Control Number: 10/619,757

Art Unit: 3733

4716. The examiner can normally be reached on Monday to Friday 6:30 AM to 4:00

Page 5

PM.

273-8300.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo Robert can be reached on (571) 272 - 4719. The fax phone number for the organization where this application or proceeding is assigned is 571-

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Pedro Philogene November 14, 2006

PEDRO PHILOGERE PRIMARY EXAMINER